



[2020] - 12929

HBCZ- 20120716- 201593

2020

2 0 2 0 0 8

1.

2.

3.

4.

5.

6.

7.

8.

9.

10.

11.

12.

13.

14.

15.

16.

17.

18.

19.

20.

21.

22.

23.

24.

25.

26.

27.

28.

29.
30.
31.

1

2

3.
4.

1.
2.
3.

nrbo

2020 09 15 09 30 "

[2020 09 15 09 30]

" " " "

1. HBCZ-20120716-20

2. 2020

3. 3

/

1 1 1 143 3

“ ” “ ”

:

yuevane@163.com

1

(1)

(2)

(3)

(4)

(5)

(6)

2

3 “ ” (www.creditchina.gov.cn)

“ ” www.ccg.gov.cn

4

3

5

6

7

1

(

1.

2020 08 25

2020 08 31

8 30 12 00

14

00 16 30

2 1 2

B 7 2 /

3. 300 /

4.

1

1)

2)

3)

4

2 /

1 /

" "

1 -4

yuewane@163.com

4

Word

/

2 16:30

3

10 1007

2020 09 15 09:30

1

10 1007

2


B 10

2020 09 15 09:30

2020 08 25

2020 08 31

5



572976591978

027-873112060

368

087-88661921

430071

2

B 7-10

18164016556

027-87816666-8659

/

yuewane@163.com

| | |
|----|------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| 1) | |
| 2) | |
| 3) | |
| 4 | Wörd |
| 5 | |

" " " "

| 2.1 | | | | | | | | | | | | | | |
|----------------|------|---|----------------|----|----|----|----------|------|------|------|-----------|------|-------|--|
| 2.2 | | | | | | | | | | | | | | |
| 2.3 | | | | | | | | | | | | | | |
| 4.2 | | <p>2003 857</p> <p>2002 1980</p> <p>50%</p> <p>招标代理服务收费标准</p> <table border="1"><thead><tr><th>服务 费率 类别</th><th>货物</th><th>工程</th><th>招标</th></tr></thead><tbody><tr><td>100-500万</td><td>1.1%</td><td>0.8%</td><td>0.7%</td></tr><tr><td>500-1000万</td><td>0.8%</td><td>0.45%</td><td></td></tr></tbody></table> <p>7</p> <p>yuewane@163.com</p> <p>572976591978</p> <p>027-87311206</p> | 服务 费率 类别 | 货物 | 工程 | 招标 | 100-500万 | 1.1% | 0.8% | 0.7% | 500-1000万 | 0.8% | 0.45% | |
| 服务 费率 类别 | 货物 | 工程 | 招标 | | | | | | | | | | | |
| 100-500万 | 1.1% | 0.8% | 0.7% | | | | | | | | | | | |
| 500-1000万 | 0.8% | 0.45% | | | | | | | | | | | | |
| 6.2 | | | | | | | | | | | | | | |

| | | |
|------|--|---|
| | | |
| 7.2 | | <p style="text-align: right;">10:00</p> <p style="text-align: center;">PDF Word</p> <p style="text-align: right;">yuewane@163.com</p> <p style="text-align: right;">17:00</p> |
| 9.2 | | |
| 10.4 | | |
| 11.2 | | |
| 12.1 | | / |
| 13.1 | | |
| 14.1 | | <p>1 (1)</p> <p style="text-align: center;">" " " "</p> <p style="text-align: center;">" "</p> <p style="text-align: center;">" "</p> <p>(2)</p> <p>(3)</p> |

(4)

2019 1

1

2019 1

1

1

2

| | | |
|--|--|----|
| | | |
| | | 94 |
| | | |

1.

2

2.1" " ;

2.2" " ;

2.3" " ;

2.4" "

1)

2)

3)

2.5" "

3

3.1" "

3.2" "

3.3" "

4

4.1

4.2

5

5.1

1)

2)

3)

4)

5)

6)

7)

6.

6.1

6.2

7.

7.1

7.2

7.3

() 24

7.4

()

24

7.5

7.6

15

8.

8.1

8.2

9.

9.1

9.2

10.

10.1

10.2

10.3

" " " " " "

10.4

10.5

10.6

11.

11.1

11.2

11.3

11.4

11.5

12.

12.1

12.2

12.3

13.

13.1

13.2

13.3

14.

14.1

14.2 14.1

14.3

15.

15.1

16.

16.1

16.2

16.3

16.4

16.5

5

5

16.6

1

2

3

4

5

6

17.

17.1

17.2

18.

18.1

18.2

" " " "

18.3

18.4

19.

19.1

" _____ "

19.2

" "

19.3

19.4

20.

20.1

21.

21.1

22.

22.1

22.2

22.3

23.

23.1

23.2

23.3

23.4

23.5

23.6

24.

24.1

24.2

1

24.3

24.4

25.

25.1

25.2 3

25.3 14

25.4

26.

26.1

" "

27.

27.1

27.2

28.

28.1

28.2

28.3

29.

29.1 2

29.2

29.3 5

29.4 2

29.5

30.

30.1

31.3

31.

31.1

30

31.2

31.3

31.4

31.5

2

31.6

7

7


7

15

/

1

| | | | | | |
|---|--|---|--|---|--|
| | | | | | |
| 1 | | 1 1700mm 2 0.001 2100mm/min 3 ± 0.1% 4 5nm 5 ± 0.01mm 0.05% 6 5000Hz 1/1000 100% ± 0.5% ASTME83 BS 3846 ISO 9513 EN 10002-4 7 300% 8 6 USB 21 8G 128G 3 | | 1 | |



9
1 10KN 1KN 50N

"

| | | |
|----|--|---|
| 4 | 50N | 1 |
| 5 | | 2 |
| 6 | | 1 |
| 7 | 21 25 | 1 |
| 8 | | 1 |
| 9 | | 1 |
| 10 | | 1 |
| 11 | | 1 |
| 12 | | 2 |
| 13 | 30KN | 1 |
| 14 | | 2 |
| 15 | | 2 |
| 16 | 1KN | 1 |
| 17 | 1KN | 1 |
| 18 | 1KN | 1 |
| 19 | 1KN | 3 |
| 20 | 100N | 1 |
| 21 | 100N | 1 |
| 22 | | 1 |
| 23 | 90 | 1 |
| 24 | 150mm | 1 |
| 25 | 50mm | 1 |
| 26 | 50L | 1 |
| 27 | | 1 |
| 28 | | 1 |
| 29 | | 1 |
| 30 | 10kVA UPS | 1 |
| 31 | | 1 |
| | 4G 1T 23 WINDOUS10 28 " " http://www.ccg.gov.cn/search/jnqdchaxun.htm | 1 |

1.

3

2.

48

5

2

12

48

3.

4.

5.

5%

10

6.

1

2

2.1

2.1.1

2.1.2

178.2nm

2.1.3

2.1.4

2.1.5

2.1.6

P

160 900nm

181.9nm

0.004nm

0.0004nm

894.3nm

S

200 nm

Cs

R= / =145000

5min

2.2

2.2.1 CCD

2.2.2

2.2.3

2.2.4

2.2.5

2.2.6

10°

-10

Peltier

5min

0.0025nm/pixel

1

2.3

2.3.1

2

| | | | | | | |
|--|-------------------|--|------------------|---------------|-----|---------------|
| | 2.5.2 | | | HF | | 25% |
| | 2.5.3 | | | HF | | 25% |
| | 2.6 | | SCS | | | |
| | 2.7 | | | | | |
| | 2.7.1 | | | | | |
| | 2.7.2 | | 60000 | | | |
| | 2.7.3 | | Windows 7 | | | |
| | 2.7.4 | | 21CFR Part 11 | | | |
| | 2.8 | | | | | |
| | 2.8.1 | | | | | |
| | 1 | | 2450MHz | | | |
| | 2 | | | | | 1800W |
| | 3 | | 1000W | 8 | \ | |
| | 316L | | | 3mm | | |
| | 4 | | | | | AUTO-POP |
| | 5 | | | | \ | |
| | 6 | | | | | |
| | 0-350 | | | ± 0.1 | | ± 1 |
| | 7 | | | | | |
| | 0-15MPa (2200psi) | | | $\pm 0.01MPa$ | | $\pm 0.1MPa$ |
| | 8 | | | | | (Safety Bolt) |
| | " " | | | | | |
| | 9 | | 360° Uni-Turn | | 360 | |
| | 10 | | | | | |
| | | | | | 50 | |
| | 11 | | | | | |

12
13 15 200
60

2.8.2 MP-100

1 8
2
3 Xtra Fi ber
10000psi 600
PEEK
4 TFM
5 100m
6 15 MPa (2200psi)
7 5.0MPa (800psi)
8 300
9 250

2.8.3

MDS-6G SMART / 1
1 1

MP-100

1
6
1
6
TFM 6
8 1
12 1
1
1
1

2.8.4

ISO9001

2.9

2.9.1 RSD 1.0%

2.9.2 4 RSD 2.0%

2.9.3

| | Zn | Ni | Mn | Cr | Cu | Ba |
|--------|-------------|-------------|-------------|-------------|---------|---------|
| nm | 213.8 56 | 231.6 04 | 257.6 10 | 267.7 16 | 324.754 | 455.403 |
| (µ g/L | 0.3 | 0.6 | 0.01 | 0.3 | 0.4 | 0.05 |

3

3.1 1
3.2 1
3.3 1
3.4 1
3.5 1

| | | |
|------|---------|---|
| 3.6 | | 2 |
| 3.7 | | 2 |
| 3.8 | | 2 |
| 3.9 | | 1 |
| 3.10 | | 1 |
| 3.11 | | 1 |
| 3.12 | | 1 |
| 3.13 | 1mL/min | 1 |
| 3.14 | | 1 |
| 3.15 | 12 4 | 1 |

| | | | |
|----|---|--|--|
| | <p>2.3.2 +10 -85</p> <p>2.3.3 6 4.6x 300nm</p> <p>2.3.4 : ± 0.1 C</p> <p>2.4</p> <p>2.4.1 190-700nm</p> <p>2.4.2 ± 1nm</p> <p>2.4.3 AU ± 0.25× 10⁵</p> <p>2.4.4 <1× 10⁴AU/h</p> <p>2.4.5 5 50</p> <p>2.5</p> <p>2.5.1 60mm</p> <p>2.5.2 220-2600nm</p> <p>2.5.3 PMT/InGaAs/PbS</p> <p>2.6 :</p> <p>2.6.1 32 , , ,</p> <p>WIN2000 XP</p> <p>2.6.2 WINDOWS</p> <p>2.6.3 , , ,</p> <p>2.6.4 RS-232 , HUB</p> <p>2.6.5 , , E-mail</p> <p>PDF</p> <p>2.6.6</p> <p>2.6.7 CPU i5-7100</p> <p>3.9GHZ DDR4 8GB 1TB 7200</p> <p>23</p> | | |
| A4 | <p>A4</p> <p>http://www.ccg.gov.cn/search/jnqdchaxun.htm</p> | | |

1.

60

HPLC

60

2.

3.

(1)

5

1-2

12

2

(2)

HPLC

2

12

3

4.

5.

6.

5%

10

- 1.
- 1.1. 15° C-35° C
- 1.2. 5-95%
- 1.3. 220V± 10%

2.

- 2.1 EPC 0.001psi
- 3
-)
- 2.2 4
- 2.3 EMF 30
- 2.4 < 0.008% < 0.0008
- 2.5 < 0.5% RSD
- 2.6 7

2.7

1

2.8 IP

- 3.
- 3.1. 20 21
- 3.2. 4min 450° C 50° C
- 3.3. 120° C/min 1800° C/min
- 3.4. 13.8L

4.

- 4.1.

| | | | | | |
|--|------|-----------|---------|------------|--------|
| | 5.4 | | | 106-200° C | |
| | 5.5 | 10 fg | OFN | | |
| | | | 99% | | |
| | 5.6 | | | | |
| | 5.7 | 0-315mA | | | |
| | 5.8 | 250L/s | | | |
| | 6. | TCD | | | |
| | 6.1 | 400° C | | | |
| | 6.2 | 400 pg | /mL | | |
| | 6.3 | 105 | | | |
| | 6.4 | | | | |
| | 7. | FID | | | |
| | 7.1 | 425° C | | | |
| | 7.2 | < 1.2 pg | /s | | |
| | 7.3 | | | 107 | |
| | 7.4 | | 1000 Hz | | |
| | 8. | | | | |
| | 8.1 | | 16 | 2ml | |
| | | 166 | 2ml | (| 166 |
| | | | |) | |
| | 8.2 | 10ul | min | | |
| | 9. | | | | |
| | 9.1 | | | | |
| | 9.2 | SI M/SCAN | SI M | SI M/SCAN | |
| | 9.3 | | | | |
| | 10. | | | | |
| | (1) | | 1 | | |
| | (2) | TCD FID | | 1 | |
| | (3) | | | | 1 |
| | (4) | 1 | | | |
| | (5) | | 1 | | |
| | (6) | | 1 | | |
| | (7) | | 1 | | |
| | (8) | BTO | | 50 | |
| | (9) | 0 | 10 | | |
| | (10) | | 10 | | |
| | (11) | 500 | | | |
| | (12) | HP-PLOT/Q | 1 | 30m | 0.53mm |
| | 40um | DB-5ms | | 30m | 0.25mm |

| | | | | | |
|---|--|---|------------------|-----|-------------------------|
| | | 0.25um (13) | 1 | | |
| | | 1 | i 7, 16G | 1T | w n10 |
| | | http://www.ccgp.gov.cn/search/jnqdcxun.htm | | | 1 |
| 2 | | 1 | | | |
| | | 2 | | | |
| | | 3 | | | |
| | | 3.1 | | | |
| | | 3.2 | 190-900nm | | +/- 0.2nm |
| | | 3.3 | 1800 /mm | | |
| | | 3.4 | : 0.2-1.2nm | | |
| | | 3.5 | 8 | | |
| | | 3.6 | | | |
| | | 3.7 | | | |
| | | 3.8 | Mn 279.5 - 279.8 | | 279.5nm |
| | | 3.9 | 30% CCD | | |
| | | 4 | | | |
| | | 4.1 | 10cm | | |
| | | 4.2 | Pt/Rh | | |
| | | 4.3 | | | |
| | | 4.4 | | | |
| | | 4.5 | | | |
| | | 4.6 | | | |
| | | 4.7 | Cu | | 0.035 mg/L |
| | | 4.8 | 0.005 mg/L | RSD | 0.5% |
| | | 4.9 | | | 150Hz |
| | | 5 | | | |
| | | 5.1 | | | |
| | | 5.2 | | | 3000 |
| | | 5.3 | 3000 / | | |
| | | 5.4 | | | |
| | | 5.5 | | | |
| | | 5.6 | | | |
| | | 5.7 | Cd | | 0.01 ug/L Cd (2ppb) RSD |

2%
5.8
5.9 Al 0.25ug/L 0.999

1.

3

60

2.

3.

(1)

1

2

12

48

2

5

1-2

7

12

2

4.

5.

6.

5%

10

/

2 1

| | | | |
|------|-----|-------|------|
| 200 | | 40000 | |
| | 20 | | 5000 |
| 5 | | 1000 | |
| 5 | | 1000 | |
| 1000 | | 40000 | |
| | 300 | | 2000 |
| | 20 | | 300 |
| | 20 | | 300 |

2019 18 /
2019 19 /
2019 16

<http://www.ccg.gov.cn/search/jnqdchaxun.htm> /
<http://www.ccg.gov.cn/search/hbqdchaxun.htm>

| | | | | |
|--|--|------|--------|-------|
| | | 8 | 6 4 | |
| | | 2 | , | |
| | | 2 | 3 | 1 |
| | | | 1 | 4 |
| | | | | 10 |
| | | 1 | | 1 |
| | | 1 | 2 | 2 |
| | | 2016 | 1 | 1 |
| | | 10 | | 1 |
| | | 1 | | |
| | | | 3 | 3 |
| | | 2 | 3 | 1 |
| | | | | 0 |
| | | | | 30 |
| | | / | × | × 100 |
| | | | | 30% |

2

| | | | | |
|--|--|-----|--------|------|
| | | | | |
| | | 36 | 18 | 32.4 |
| | | 1 | 2 | 1.8 |
| | | 3.6 | | 1.8 |
| | | 8 | 6 4 | 8 |
| | | 2 | , | |
| | | 2 | 3 | 1 |
| | | | 1 | 4 |
| | | | | 10 |
| | | 1 | | 1 |

| | | | | |
|--|--|----------|---|-------|
| | | 1 | 2 | 2 |
| | | 2016 1 1 | 1 | 10 |
| | | 10 | | |
| | | 1 | | |
| | | | 3 | 3 |
| | | | 3 | 3 |
| | | 2 | 1 | 0 |
| | | / | × | × 100 |
| | | | | 30% |
| | | | | 30 |

3

| | | | | |
|--|--|----------|----|-------|
| | | | | |
| | | 36 | 17 | 2 |
| | | | | 2 |
| | | 8 | | 6 |
| | | | 2 | 4 |
| | | | 3 | |
| | | 2 | 1 | |
| | | | 1 | 4 |
| | | | | 10 |
| | | 1 | | 1 |
| | | 1 | 2 | 2 |
| | | 2016 1 1 | | 1 |
| | | 10 | | 10 |
| | | 1 | | |
| | | | 3 | 3 |
| | | | 3 | 3 |
| | | 2 | 1 | 0 |
| | | / | × | × 100 |
| | | | | 30% |
| | | | | 30 |

3.1.3

3.1.4

3.1.5

3.2

3.2.1

3.2.2

3.2.3

3.3

3.3.1

= + +

" "

3.3.2

3.3.3

3.1.5

3.3.4

3.4

3.4.1

3.4.2

3.4.3

3.4.4

7.

8.

9.

10.

11.

12.

13.

14.

()

()

1.

1.

2 /

1.

2.

3.

4.

90

5.

6.

7.

/

3.

| | | | | | | | | | |
|-------|-------|-------|--|--|--|--|--|--|--|
| | | | | | | | | | |
| 1 | | | | | | | | | |
| 2 | | | | | | | | | |
| 3 | | | | | | | | | |
| 4 | | | | | | | | | |
| 5 | | | | | | | | | |
| 6 | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

1.

2.

3.

4.


" "

4.



| | | | |
|-----|--|--|--|
| | | | |
| 1 | | | |
| 2 | | | |
| 3 | | | |
| 4 | | | |
| 5 | | | |
| 6 | | | |
| 7 | | | |
| 8 | | | |
| ... | | | |

5.

(_____)



6.



1)

2)

| | | |
|-------|--|--|
| | | |
| | | |
| 1 | | |
| 2 | | |
| 3 | | |
| | | |
| | | |
| | | |
| 1 | | |
| 2 | | |
| 3 | | |
| | | |
| | | |
| | | |

1

14.1

2

1.

1)

1

2

3

4

5

6

7

8

9

1

2

3

4

2

1

2

| | | | |
|--|--|--|--|
| | | | |
| | | | |
| | | | |

3

2

1

2

.....


3.

1.

2.

3.

3



/

| | | | | / |
|-----|--|--|--|---|
| 1 | | | | |
| 2 | | | | |
| 3 | | | | |
| ... | | | | |
| | | | | |
| | | | | |
| 1 | | | | |
| 2 | | | | |
| 3 | | | | |
| ... | | | | |

1

" " " " " "

/

/

" " " "

2

1.

1 1

2 2

3

| | | |
|-------|--|--|
| | | |
| 1. | | |
| 2 | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

1
2

1.

2

.....

3.

.....

4.

| | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

1.

1.

[2011] 181

1.

[2011] 300

2.

/__

2019

2019

| | |
|--|-------|
| | |
| | |
| | |
| | 1 |
| | |
| | |
| | 2 |
| | |
| | |
| | 3 |
| | |
| | |
| | |

2

2017 141

_____ / _____

10 10

25% 25%

1 8

3.

_____ / _____
/ _____

1

2

/

3

_____ %

1 _____ %

2 _____ %

n: _____ %

/ _____ %

3

4

5

/